



Portable Power

12/150 | Portable Air Compressors



Compressor	12/150
GENERAL INFORMATION	
Free Air Delivery - m ³ /min (cfm)	14.9 (526)
Rated Operating Pressure - bar (psi)	12 (175)
ENGINE	
Make / Model	Cummins / QSB6.7
No. of cylinders	6
Full load speed - rpm	2000
Power - kW (hp)	164 (220)
Cooling	Water
Fuel tank capacity - litres	310
DIMENSIONS (WITH RUNNING GEAR)	
Length (fixed towbar) - mm	4847
Length min/max (adjustable towbar) - mm	4995/5155
Width - mm	2130
Height - mm	2022
Weight (net) fixed/adj - kg	2566/2618
Weight (working) fixed/adj - kg	2816/2868
Weight max. - kg	3000 (6600)
DIMENSIONS (ON SHIPPING SUPPORT)	
Length - mm	3350
Width - mm	1590
Height - mm	1700
Weight (net) - kg	2233
Weight (working) - kg	2483
SOUND LEVEL	
2000/14/EC (2006) - Lwa	99
AIR OUTLETS BSPT	
	1 x 2"
	1 x 1 1/4"
	2 x 3/4"

Simply the greatest

The 12/150 compressor model is the company's largest single axle portable compressor. Incorporating the 'built-to-be-used' design – common to all DIPP compressors – the 12/150 provides the highest levels of durability, productivity and serviceability.


The 12/150 has a free air delivery of 14.9 m³/minute at an output pressure of 12 bar and is designed for applications in plant hire, construction, quarrying and general industry.

In addition, the 12/150 offers a bundled base as standard for environmental protection and a well-positioned fuel tank features a large size filler to limit the risk of fuel spillage.



The wide opening doors and standard central drains contribute to the excellent serviceability of the 12/150, with all areas carefully designed for ease of inspection, maintenance and repair.

- 1 Excellent storage space inside unit
- 2 Wide opening doors, perfect service access
- 3 Well-positioned fuel tank with large filler size limiting spillage risk
- 4 Removable back panel for easy access to coolers
- 5 Central drains and 4 air outlets standard
- 6 Bundled base standard



Available options (not exhaustive): roadlights, variable height running gear, spark arrestor, overspeed valve, aftercooler and water separator, IQ system, wheel chocks, dual pressure switch, low fuel beacon.

www.doosanportablepower.com



Portable Power

Specifications and design are subject to change without notice. Pictures of Doosan Portable Power products may show other than standard equipment.

