




**DH-P20 350 kg**





## Application


The DH-P20 is a fully **automatic linear passenger lift**, suitable for mounting inside the rear doors of a wide range of minibuses, vans and ambulance vehicles.

The construction with 2 lift arms provides **maximum platform stability**. It increases the safety and sense of safety of the wheelchair passenger and the lift operator (if applicable).

The main lift controls are formed by a handy 3-button remote control with spiral cable, which permits the operation of all functions.

## Characteristics & equipment

- | <b>CAPACITY</b>      | <ul style="list-style-type: none"> <li>350 kg</li> </ul>  |            |             |     |                    |              |      |
|----------------------|---|------------|-------------|-----|--------------------|--------------|------|
| <b>MECHANICS</b>     | <ul style="list-style-type: none"> <li>2 lift arms for maximum stability</li> <li>2 single acting hydraulic lift cylinders</li> </ul>   |            |             |     |                    |              |      |
| <b>PLATFORM</b>      | <ul style="list-style-type: none"> <li>Spacious platform with useful space of [3]:</li> </ul> <table border="1" data-bbox="384 920 754 1019"> <thead> <tr> <th>Width (mm)</th> <th>Length (mm)</th> </tr> </thead> <tbody> <tr> <td>820</td> <td>1350 - 1150 - 1070</td> </tr> <tr> <td>920 (option)</td> <td>1350</td> </tr> </tbody> </table> <ul style="list-style-type: none"> <li>Transparent platform in meshed steel</li> <li>Automatic roll-stop on the platform point [1]</li> <li>Automatic bridge plate to the loading floor, mounted to the floor plate of the lift [2]</li> <li>Mechanical lock for the platform in the driving / road position</li> </ul> | Width (mm) | Length (mm) | 820 | 1350 - 1150 - 1070 | 920 (option) | 1350 |
| Width (mm)           | Length (mm)   |            |             |     |                    |              |      |
| 820                  | 1350 - 1150 - 1070  |            |             |     |                    |              |      |
| 920 (option)         | 1350  |            |             |     |                    |              |      |
| <b>CONTROLS</b>      | <ul style="list-style-type: none"> <li>3-button wander lead with spiral cable for the functions open / close / lift / lower</li> </ul>  |            |             |     |                    |              |      |
| <b>HANDRAIL</b>      | <ul style="list-style-type: none"> <li>On left and right side of the platform</li> <li>Equipped with automatic deployment (open and close)</li> </ul>   |            |             |     |                    |              |      |
| <b>POWER PACK</b>    | <ul style="list-style-type: none"> <li>Electro-hydraulic power pack premounted on the frame of the lift</li> <li>12 or 24V power pack</li> <li>Emergency hand-pump and emergency exit function</li> <li>Battery switch premounted on the power pack</li> </ul>  |            |             |     |                    |              |      |
| <b>PROPER WEIGHT</b> | <ul style="list-style-type: none"> <li>From 140 kg onwards (depending on execution)</li> </ul>  |            |             |     |                    |              |      |
| <b>AND FURTHER</b>   | <ul style="list-style-type: none"> <li>Low maintenance bushes fitted to all pivot points</li> <li>Intensive dampening of mechanical driving noises</li> <li>Quick and easy mounting</li> <li>Equipment conforms with CE safety Directives</li> <li>Extensive after-sales service (30 countries) via the international Dhollandia network</li> </ul>   |            |             |     |                    |              |      |





**DHOLLANDIA**

## ● Main Options (other options on request)




**S953** Vertically folding platform for clear and free passage through the doorway



**S957** Foldable platform for reduction in required fitting height and maximum driver's view through the rear vehicle doors



**S958** Non-standard platform width



**S955** Bridge plate mounted to the platform



**S961** Toggle switch up / down on hand rail

## ● Examples of special mountings



**DH-P20 + S953** Mounted to a travel coach



**DH-P20** Side mounted



## ● Other types of passenger lifts



**DH-P10** 250 kg - Linear 1 arm lift



**DH-CH** 300 kg - Cassette slider lift



**DH-VZH** 350 kg - Passenger column lift



**DH-RB** 500 kg - Coach lift



**DH-SCH** 500 kg - Compact slider lift



**DH-V...** 500-2000 kg - Various column lifts for passenger application