



DH-P21 450 kg



DH-P21 450 kg

● Application

The **DH-P21** is a **fully automatic linear lift**, suitable for mounting **inside the cargo space**, just in front of the rear doors of the vehicle. It can be mounted to a wide range of factory built panel vans and minibuses.

The construction with 2 lift arms provides **maximum platform stability** and increases the sense of safety of the operator.

The main lift controls consist of a handy 2-button remote control with spiral cable, allowing to operate all functions.

Capacity chart

<input type="checkbox"/> 250 kg	• DH-P11
<input type="checkbox"/> 300 kg	• DH-VZ, C
<input checked="" type="checkbox"/> 450 kg	• DH-P21
<input type="checkbox"/> 500 kg	• DH-LSP, LC2, LSP4
<input type="checkbox"/> 750 kg	• DH-LC, LSP4

● Characteristics & equipment

CAPACITY

- 450 kg

TYPE

- 2 lift arms for maximum stability
- 2 single acting hydraulic lift cylinders

PLATFORM

- Spacious platform with useful space of :

Width (mm)	Depth (mm)
820	1350 - 1150 - 1070
920 (option)	1350

- Other platform dimensions upon request
- Flat platform in aluminium with anti-slip surface
- Automatic roll-stop on the platform point [1]
- Automatic bridge plate to the loading floor, mounted to the floor plate of the lift [2]
- Mechanical lock for the platform in the driving / road position

CONTROLS

- 2-button wander lead with spiral cable for the functions open / close / lift / lower
- Controlled without electronic components

POWER PACK

- Electro-hydraulic power pack premounted on the frame of the lift
- 12 or 24V power pack
- Fast manual emergency operation available for the lowering function
- Battery switch premounted on the power pack

LIFT HEIGHT


- Max. 900 mm above groundlevel

PROPER WEIGHT

- From 140 kg onwards (depending on execution)

AND FURTHER...

- Low maintenance bushes fitted to all articulation points
- Intensive dampening of mechanical driving noises
- Quick and easy mounting
- Equipment conforms with CE safety Directives



● Main Options (other options on request)




S953 Vertically folding platform for clear and free passage through the doorway (model shown = DH-P20, DH-P21 is excl. safety gates)



S957 Foldable platform for reduction in required fitting height, and for maximum driver's view through the rear vehicle doors (model shown = DH-P20, DH-P21 is excl. safety gates)



S958 Non-standard platform width



S955 Bridge plate mounted to platform (side gates = non standard)

● Examples of special mountings





DHOLLANDIA

Other solutions for vans



DH-LSPZ 300-500 kg



DH-LSP 300-500 kg



DH-LSP4 & DH-LC2 500-750 kg



Option S604 Without rear doors



DH-LCZ 500-750 kg



DH-VZ 300 kg



DH-C 350 kg



DH-P11 250 kg