


# Hiab XS 211 L





## Capacity 21.7 tm



# Hiab XS 211 L Basic data

<b>Technical data</b>	<b>DL-2 Pro</b>	<b>DL-3 Pro</b>	<b>DL-4 Pro</b>	<b>DL-5 Pro</b>	<b>DL-5 HiPro</b>
Max. lifting capacity (kNm)	188	182	176	170	188
Outreach - hydraulic extensions (m)	9.3	11.5	13.2	15.5	15.5
Outreach / Lifting capacity, standard (m / kg)	3.6 / 5300	3.7 / 5000	3.7 / 4850	3.7 / 4700	3.7 / 5200
	5.4 / 3550	5.5 / 3350	5.5 / 3250	5.6 / 3050	5.6 / 3400
	7.0 / 2700	7.1 / 2520	7.1 / 2400	7.2 / 2240	7.2 / 2500
	9.0 / 2080	9.1 / 1920	8.9 / 1840	9.0 / 1680	9.0 / 1900
	-	11.2 / 1540	10.9 / 1460	11.0 / 1300	11.0 / 1480
	-	-	12.9 / 1220	13.0 / 1060	13.0 / 1200
	-	-	-	15.2 / 900	15.2 / 1020
Slewing angle	406°	406°	406°	406°	406°
Height with horizontal boom (mm)	2447	2447	2606	2606	2606
Installation space needed (mm)	1050	1050	1050	1050	1050
Weight - "standard" crane without stabilizers (kg)	2320	2470	2620	2780	2820
Weight - stabilizer equipment (kg)	334 - 422	334 - 422	334 - 422	334 - 422	334 - 422
Weight - high seat (kg)	110	110	110	110	110

**Hiab XS 211 DL-3 Pro**



**Disclaimer.** Hiab cranes have been built to meet the highest standards of safety and service life and have been thoroughly tested. Strength calculations for this model have been carried out in accordance with EN13001 in fatigue class S2. Cargotec's certified Quality Assurance System complies with ISO 9001. Some of the items in our literature may be extra equipment. Certain applications may require an official permit. We reserve the right to change technical specifications without prior notice. Hiab cranes produced for EU-countries are CE-marked and comply with the European Standard EN 12999.

**Cargotec** improves the efficiency of cargo flows by offering solutions for the loading and unloading of goods on land and at sea – wherever cargo is on the move. Cargotec's main daughter brands for cargo handling Hiab, Kalmar and MacGregor are global market leaders in their fields. [www.cargotec.com](http://www.cargotec.com)

