

Hiab XS 422


Range 34-41 tm




Hiab XS 422 Basic data

Technical data	EP-5 CL	EP-5 HiDuo	E-6 HiPro	E-8 HiPro
Max. lifting capacity (kNm)	344	337	338	327
Outreach - hydraulic extensions (m)	15.4	15.4	16.5	20.8
Outreach - manual extensions (m)	-	-	20.2	23.0
Outreach - Jib (m)	-	-	25.9	-
Outreach / Lifting capacity, standard (m / kg)	2.8 / 12000	3.0 / 12000	3.0 / 12000	2.9 / 12000
	4.9 / 7200	4.9 / 7600	4.9 / 7600	4.8 / 7500
	6.8 / 4950	6.8 / 5300	6.5 / 5500	6.4 / 5300
	8.8 / 3700	8.8 / 3950	8.4 / 4050	8.2 / 3900
	11.0 / 2880	11.0 / 3100	10.2 / 3200	10.1 / 2960
	13.2 / 2360	13.2 / 2520	12.2 / 2580	12.1 / 2320
	15.4 / 2020	15.4 / 2160	14.3 / 2160	14.2 / 1880
	-	-	16.5 / 1840	16.4 / 1560
	-	-	-	18.6 / 1340
	-	-	-	20.8 / 1200
Outreach / Lifting capacity, with Jib (m / kg)	-	-	19.0 / 690	-
	-	-	20.2 / 620	-
	-	-	21.4 / 560	-
	-	-	22.8 / 510	-
	-	-	24.3 / 470	-
	-	-	25.8 / 440	-
Slewing angle	400°	400°	400°	400°
Height in folded position (mm)	2503	2503	2404	2422
Width in folded position (mm)	2500	2500	2500	2500
Installation space needed (mm)	1620	1620	1575	1630
Weight - "standard" crane without stabilizers (kg)	4340	4380	4540	4840
Weight - stabilizer equipment (kg)	630 - 840	630 - 840	630 - 840	630 - 840
Weight - jib (kg)	-	-	1070	-

Hiab XS 422 E-8 HiPro



Hiab XS 422 E-6 HiPro jib 100X-5



Disclaimer. Hiab cranes have been built to meet the highest standards of safety and service life and have been thoroughly tested. Strength calculations for this model have been carried out in accordance with EN13001 in fatigue class S1. Cargotec's certified Quality Assurance System complies with ISO 9001. Some of the items in our literature may be extra equipment. Certain applications may require an official permit. We reserve the right to change technical specifications without prior notice. Hiab cranes produced for EU-countries are CE-marked and comply with the European Standard EN 12999.

Cargotec improves the efficiency of cargo flows by offering solutions for the loading and unloading of goods on land and at sea – wherever cargo is on the move. Cargotec's main daughter brands for cargo handling Hiab, Kalmar and MacGregor are global market leaders in their fields. www.cargotec.com

